

Fig. 1




Fig. 2a

Fig. 2b




Fig. 3a

Fig. 3b

Fig. 3c




Fig. 4




Fig. 5a




Fig. 5b

6/14

S# 550-554 RT: 17.50 -17.58AV : 5 NL: 2.02 E8

T: + cFull ms [450.00 - 2000.00]




Fig. 6a

m/z

7/14

S# 577-596 RT: 18.14-18.59AV:20 NL: 5.72 E6
T: + cFull ms [450.00 - 2000.00]





Fig. 6b

8/14

S# 577-596 RT: 18.14-18.59AV:20 NL: 6.04 E7

T: += cFull ms [450.00 - 2000.00]



bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.




Fig. 7a




Fig. 7b




Fig. 7c

ScMHC-BirA/209




Fig. 8a

ScMHC-BirA-Biotin/209





Fig. 8b


12/14

ScMHC-BirA-Biotin/209



10 µg/ml

Fig. 8c



1 µg/ml


Fig. 8d



0.05 µg/ml

Fig. 8e

ScMHC-BirA-Biotin/209



CD8-FITC

Fig. 9a

Fig. 9b




Fig. 10a




Fig. 10b